



## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

SDS # : 088157

# KUBOTA GREASE EP 2

Date of the previous version: not applicable

Revision Date: 2018-01-25

Version 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
---

### 1.1. Product identifier

<b>Product name</b>	<b>KUBOTA GREASE EP 2</b>
<b>Number</b>	GQ3
<b>Substance/mixture</b>	Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

<b>Identified uses</b>	Lubricating grease.
------------------------	---------------------

### 1.3. Details of the supplier of the safety data sheet

<b>Supplier</b>	TOTAL LUBRIFIANTS 562 Avenue du Parc de L'île 92029 Nanterre Cedex FRANCE Tél: +33 (0)1 41 35 40 00 Fax: +33 (0)1 41 35 84 71
-----------------	--

### For further information, please contact:

<b>Contact Point</b>	HSE
<b>E-mail Address</b>	rm.msds-lubs@total.com

### 1.4. Emergency telephone number

Emergency telephone: +44 1235 239670  
 France - ORFILA (INRS) Tél : +33 (0)1 45 42 59 59  
 In France - Poison centers:  
 ANGERS : 02 41 48 21 21  
 BORDEAUX : 05 56 96 40 80  
 LILLE : 08 00 59 59 59  
 LYON : 04 72 11 69 11  
 MARSEILLE : 04 91 75 25 25  
 NANCY : 03 83 22 50 50  
 PARIS : 01 40 05 48 48  
 STRASBOURG : 03 88 37 37 37  
 TOULOUSE : 05 61 77 74 47

Section 2: HAZARDS IDENTIFICATION
-----------------------------------

### 2.1. Classification of the substance or mixture

**REGULATION (EC) No 1272/2008**



SDS # : 088157

## KUBOTA GREASE EP 2

Revision Date: 2018-01-25

Version 1

For the full text of the H-Statements mentioned in this Section, see Section 2.2.

### Classification

The product is not classified as dangerous according to Regulation (EC) No. 1272/2008

### 2.2. Label elements

**Labelled according to** REGULATION (EC) No 1272/2008

### Signal word

None

### Hazard Statements

None

### Precautionary Statements

None

### Supplemental Hazard Statements

EUH210 - Safety data sheet available on request

### 2.3. Other hazards

**Physical-Chemical Properties** Contaminated surfaces will be extremely slippery.

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixture

**Chemical nature** Mineral oil of petroleum origin.

### Hazardous ingredients

Chemical Name	EC-No	REACH registration No	CAS-No	Weight %	Classification (Reg. 1272/2008)
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts	270-608-0	01-2119493628-22	68457-79-4	1-<2.5	Aquatic Chronic 2 (H411) Eye Dam. 1 (H318) Skin Irrit. 2 (H315)

**Additional information** Product containing mineral oil with less than 3% DMSO extract as measured by IP 346.

For the full text of the H-Statements mentioned in this Section, see Section 16.

## Section 4: FIRST AID MEASURES

### 4.1. Description of first-aid measures

### General advice

IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.



SDS # : 088157

## KUBOTA GREASE EP 2

Revision Date: 2018-01-25

Version 1

<b>Eye contact</b>	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. High pressure jets may cause skin damage. Take victim immediately to hospital.
<b>Inhalation</b>	Remove casualty to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration.
<b>Ingestion</b>	Clean mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
<b>Protection of First-aiders</b>	First aider needs to protect himself. See Section 8 for more detail. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Eye contact</b>	Not classified based on available data. The supplier of some components contained within this formulation has indicated that the classification as irritant is not required.
<b>Skin contact</b>	Not classified based on available data. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.
<b>Inhalation</b>	Not classified based on available data.
<b>Ingestion</b>	Not classified based on available data. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes to physician** Treat symptomatically.

## Section 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing media

<b>Suitable Extinguishing Media</b>	Carbon dioxide (CO <sub>2</sub> ). ABC powder. Foam. Water spray or fog.
<b>Unsuitable Extinguishing Media</b>	Do not use a solid water stream as it may scatter and spread fire.

### 5.2. Special hazards arising from the substance or mixture

<b>Special Hazard</b>	Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration. Phosphorous oxides. Nitrogen oxides (NO <sub>x</sub> ). Zinc oxides.
-----------------------	---



SDS # : 088157

## KUBOTA GREASE EP 2

Revision Date: 2018-01-25

Version 1

### 5.3. Advice for fire-fighters

**Special protective equipment for fire-fighters** Wear self-contained breathing apparatus and protective suit.

**Other information** Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## Section 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

**General Information** Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.

### 6.2. Environmental precautions

**General Information** Do not allow material to contaminate ground water system. Prevent entry into waterways, sewers, basements or confined areas.

### 6.3. Methods and material for containment and cleaning up

**Methods for containment** If necessary dike the product with dry earth, sand or similar non-combustible materials.

**Methods for cleaning up** Dispose of contents/container in accordance with local regulation. In case of soil contamination, remove contaminated soil for remediation or disposal, in accordance with local regulations.

### 6.4. Reference to other sections

**Personal Protective Equipment** See Section 8 for more detail.

**Waste treatment** See section 13.

## Section 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

**Advice on safe handling** For personal protection see section 8. Use only in well-ventilated areas. Avoid contact with skin, eyes and clothing.

**Prevention of fire and explosion** Take precautionary measures against static discharges.

**Hygiene measures** Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Provide regular cleaning of equipment, work area and clothing. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.



SDS # : 088157

## KUBOTA GREASE EP 2

Revision Date: 2018-01-25

Version 1

### 7.2. Conditions for safe storage, including any incompatibilities

#### Technical measures/Storage conditions

Keep away from food, drink and animal feedingstuffs. Keep in a banded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Store at room temperature. Protect from moisture.

#### Materials to Avoid

Strong oxidizing agents.

### 7.3. Specific end uses

#### Specific use(s)

Please refer to Technical Data Sheet for further information.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

Mineral oil mist:  
USA: OSHA (PEL) TWA 5 mg/m<sup>3</sup>, NIOSH (REL) TWA 5 mg/m<sup>3</sup>, STEL 10 mg/m<sup>3</sup>, ACGIH (TLV) TWA 5 mg/m<sup>3</sup> (highly refined)

#### Legend

See section 16

### Derived No Effect Level (DNEL)

#### DNEL Worker (Industrial/Professional)

Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts 68457-79-4			11.87 mg/kg bw/day Dermal 8.13 mg/m <sup>3</sup> Inhalation	

#### DNEL Consumer

Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts 68457-79-4			5.93 mg/kg bw/day Dermal 2.06 mg/m <sup>3</sup> Inhalation 0.24 mg/kg bw/day Oral	

### Predicted No Effect Concentration (PNEC)

Chemical Name	Water	Sediment	Soil	Air	STP	Oral
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and	4 µg/l fw 4.6 µg/l mw 45 µg/l or				100 mg/l	10.67 mg/kg food



SDS # : 088157

**KUBOTA GREASE EP 2**

Revision Date: 2018-01-25

Version 1

pentyl) esters, zinc salts 68457-79-4						
--	--	--	--	--	--	--

8.2. Exposure controls**Occupational Exposure Controls****Engineering Measures**

Apply technical measures to comply with the occupational exposure limits. Ensure adequate ventilation, especially in confined areas. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

**Personal Protective Equipment****General Information**

Protective engineering solutions should be implemented and in use before personal protective equipment is considered. The personal protective equipment (PPE) recommendations apply to the product ITSELF. In case of mixtures or formulations, it is suggested that you contact the relevant PPE suppliers.

**Respiratory protection**

None under normal use conditions. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). Type A/P1. Warning ! filters have a limited use duration. The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.

**Eye Protection**

If splashes are likely to occur, wear: Safety glasses with side-shields. EN 166.

**Skin and body protection**

Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing. Type 4/6.

**Hand Protection**

Hydrocarbon-proof gloves. Fluorinated rubber. Nitrile rubber. In case of prolonged contact with the product, it is recommended to wear gloves complying with EN 420 and EN 374 standards, protecting at least for 480 minutes and having a thickness of 0,38 mm at least. These values are indicative only. The level of protection is provided by the material of the glove, its technical characteristics, its resistance to the chemicals to be handled, the appropriateness of its use and its replacement frequency. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

**Environmental exposure controls****General Information**

The product should not be allowed to enter drains, water courses or the soil.

**Section 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1. Information on basic physical and chemical properties**Color**

brown

**Physical State @20°C**

solid



SDS # : 088157

**KUBOTA GREASE EP 2**

Revision Date: 2018-01-25

Version 1

<u>Property</u>	<u>Values</u>	<u>Remarks</u>	<u>Method</u>
<b>Odor</b>		Characteristic	
<b>Odor Threshold</b>		No information available	
<b>pH</b>		Not applicable	
<b>Melting point/range</b>		No information available	
<b>Boiling point/boiling range</b>		Not applicable	
<b>Flash point</b>		Not applicable	
<b>Evaporation rate</b>		No information available	
<b>Flammability Limits in Air</b>			
<b>upper</b>		No information available	
<b>Lower</b>		No information available	
<b>Vapor Pressure</b>		No information available	
<b>Vapor density</b>		No information available	
<b>Relative density</b>	0.870	@ 20 °C	ISO 12185
<b>Density</b>	870 kg/m <sup>3</sup>	@ 20 °C	ISO 12185
<b>Water solubility</b>		Insoluble	
<b>Solubility in other solvents</b>		No information available	
<b>logPow</b>		No information available	
<b>Autoignition temperature</b>		No information available	
<b>Decomposition temperature</b>		No information available	
<b>Viscosity, kinematic</b>		Not applicable	
<b>Explosive properties</b>	Not explosive		
<b>Oxidizing Properties</b>	Not applicable		
<b>Possibility of hazardous reactions</b>	None under normal processing		

9.2. Other information**Freezing Point** No information available

## Section 10: STABILITY AND REACTIVITY

10.1. Reactivity**General Information** None under normal processing.10.2. Chemical stability**Stability** Stable under recommended storage conditions.10.3. Possibility of hazardous reactions**Hazardous Reactions** No dangerous reaction known under conditions of normal use.10.4. Conditions to avoid



SDS # : 088157

## KUBOTA GREASE EP 2

Revision Date: 2018-01-25

Version 1

**Conditions to avoid** Keep away from open flames, hot surfaces and sources of ignition. Keep away from heat and sparks.

### 10.5. Incompatible materials

**Materials to Avoid** Strong oxidizing agents.

### 10.6. Hazardous Decomposition Products

**Hazardous Decomposition Products** Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. Phosphorous oxides. Nitrogen oxides (NOx). Zinc oxides.

## Section 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### Acute toxicity Local effects Product Information

<b>Skin contact</b>	. Not classified based on available data. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.
<b>Eye contact</b>	. Not classified based on available data. The supplier of some components contained within this formulation has indicated that the classification as irritant is not required.
<b>Inhalation</b>	. Not classified based on available data.
<b>Ingestion</b>	. Not classified based on available data. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
<b>ATEmix (oral)</b>	> 5,000.00 mg/kg
<b>ATEmix (dermal)</b>	> 5,000.00 mg/kg
<b>ATEmix (inhalation-gas)</b>	> 20,000.00 ppm
<b>ATEmix (inhalation-dust/mist)</b>	71.10 mg/l
<b>ATEmix (inhalation-vapor)</b>	> 20.00 mg/l

#### Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts	LD50 3600 mg/kg (Rat - OECD 401)	LD50 > 20000 mg/kg (Rabbit - OECD 402)	

#### Sensitization

**Sensitization** Not classified based on available data.

#### Specific effects





SDS # : 088157

## KUBOTA GREASE EP 2

Revision Date: 2018-01-25

Version 1

**Carcinogenicity** Not classified based on available data.

**Mutagenicity**

**Germ Cell Mutagenicity** Not classified based on available data.

**Reproductive toxicity** Not classified based on available data.

**Repeated Dose Toxicity**

**Target Organ Effects (STOT)**

**Specific target organ systemic toxicity (single exposure)** Not classified based on available data.

**Specific target organ systemic toxicity (repeated exposure)** Not classified based on available data.

**Aspiration toxicity** Not classified based on available data.

**Other information**

**Other adverse effects** Characteristic skin lesions (pimples) may develop following prolonged and repeated exposures (contact with contaminated clothing).

### Section 12: ECOLOGICAL INFORMATION

#### 12.1. Toxicity

Not classified based on available data.

#### **Acute aquatic toxicity - Product Information**

No information available.

#### **Acute aquatic toxicity - Component Information**

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts 68457-79-4	EbL50 (72h) 21 mg/l (Scenedesmus subspicatus - OECD 201)	EC50 (48h) 23 mg/l (Daphnia magna - OECD 202)	LC50 (96h) 4.5 mg/l (Cyprinodon variegatus - OECD 203)	

#### **Chronic aquatic toxicity - Product Information**

No information available.

#### **Chronic aquatic toxicity - Component Information**

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts 68457-79-4		NOEC(21d) 0.8 mg/l Daphnia magna		



SDS # : 088157

## KUBOTA GREASE EP 2

Revision Date: 2018-01-25

Version 1

### Effects on terrestrial organisms

No information available.

### 12.2. Persistence and degradability

#### General Information

No information available.

### 12.3. Bioaccumulative potential

#### Product Information

No information available.

#### logPow

No information available

#### Component Information

Chemical Name	log Pow
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts - 68457-79-4	0.69

### 12.4. Mobility in soil

#### Soil

Given its physical and chemical characteristics, the product has no soil mobility.

#### Air

Loss by evaporation is limited.

#### Water

The product is insoluble and floats on water.

### 12.5. Results of PBT and vPvB assessment

#### PBT and vPvB assessment

No information available.

### 12.6. Other adverse effects

#### General Information

No information available.

## Section 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

#### Waste from Residues / Unused Products

Should not be released into the environment. Do not empty into drains. Dispose of in accordance with the European Directives on waste and hazardous waste.

#### Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal.

#### EWC Waste Disposal No.

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used. The following Waste Codes are only suggestions: 12 01 12.



SDS # : 088157

## KUBOTA GREASE EP 2

Revision Date: 2018-01-25

Version 1

### Other information

Refer to section 8 for safety and protective measures for disposal personnel.

### Section 14: TRANSPORT INFORMATION

ADR/RID Not regulated

IMDG/IMO Not regulated

ICAO/IATA Not regulated

ADN Not regulated

### Section 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Further information

No information available

#### 15.2. Chemical Safety Assessment

**Chemical Safety Assessment** No information available

### Section 16: OTHER INFORMATION

#### Full text of H-Statements referred to under sections 2 and 3

H315 - Causes skin irritation

H318 - Causes serious eye damage

H411 - Toxic to aquatic life with long lasting effects

#### Abbreviations, acronyms

ACGIH = American Conference of Governmental Industrial Hygienists

bw = body weight

bw/day = body weight/day

EC x = Effect Concentration associated with x% response

GLP = Good Laboratory Practice

IARC = International Agency for Research of Cancer

LC50 = 50% Lethal concentration - Concentration of a chemical in air or a chemical in water which causes the death of 50% (one half) of a group of test animals

LD50 = 50% Lethal Dose - Chemical amount, given at once, which causes the death of 50% (one half) of a group of test animals



SDS # : 088157

## KUBOTA GREASE EP 2

Revision Date: 2018-01-25

Version 1

LL = Lethal Loading  
 NIOSH = National Institute of Occupational Safety and Health  
 NOAEL = No Observed Adverse Effect Level  
 NOEC = No Observed Effect Concentration  
 NOEL = No Observed Effect Level  
 OECD = Organization for Economic Co-operation and Development  
 OSHA = Occupational Safety and Health Administration  
 UVCB = Substance of unknown or Variable composition, Complex reaction products or Biological material  
 DNEL = Derived No Effect Level  
 PNEC = Predicted No Effect Concentration  
 dw = dry weight  
 fw = fresh water  
 mw = marine water  
 or = occasional release

### Legend Section 8

TWA: Time Weight Average  
 STEL: Short Time Exposure Limit  
 PEL: Permissible exposure limit  
 REL: Recommended exposure limit  
 TLV: Threshold Limit Values

+	Sensitizer	*	Skin designation
**	Hazard Designation	C:	Carcinogen
M:	Mutagen	R:	Toxic to reproduction

**Revision Date:** 2018-01-25  
**Revision Note** \*\*\* Indicates updated section.

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006**

**This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.**

**End of the Safety Data Sheet**